

**Paul Yaffe's
Bagger
Nation™**



**SWOOP REAR FENDER
WITH LIGHTNING BOLTS**
INSTALL
INSTRUCTIONS



PAUL YAFFE ORIGINALS
DESIGN & DEVELOPMENT

SWOOP REAR FENDER WITH LIGHTNING BOLTS INSTALL INSTRUCTIONS

Thank you for purchasing Paul Yaffe's Bagger Nation products. These instructions will walk you through the step by step process of installing our SWOOP Stretched Rear Fender. Please read these instructions entirely before beginning the installation process.

TIP: These instructions will show you how to install your SWOOP Fender without shock removal.

1. Remove seat & stock rear fender per your H-D Service Manual. Retain all OEM hardware.

Remove rear fender cross/saddlebag rail support & all strut cover hardware.
(Fig #1)



1.

2. Install the rearward most fender mount lugs in SWOOP Fender & tighten. (Fig #2)



2.




3.



4.

3. Slide rear fender into place with front of rear fender touching tire. Raise the back of rear fender upwards until mount lugs slide into their intended pockets. Install (2) Torx screws removed in Step 1 to hold fender in place. Finger tighten only at this time (Fig #3 | #4)

4. Push front fender downwards to expose front mount holes under fender struts. Install fender mount lugs & tighten. (Fig #5 | #6)



5. Allow fender to pivot into place and install (2) torx head screws into front mount lugs. Tighten all (4) torx screws at this time. (Fig#7)

6. Install strut covers using OEM hardware from Step 1. Finger tight at this time. Install rear fender cross/saddlebag rail support. Rotate the "puck" on rear fender center support stud until it contacts cross brace (Fig # 8)



NOTE: Make sure cross brace hardware is snug before setting "puck" contact. Install washer & nut removed from cross brace in Step 1. Tighten all fasteners at this time. (Fig # 9)



7. Your SWOOP Rear Fender is now installed & ready for saddlebag install.

NOTE: If you're continuing your SWOOP Rear Fender with Lightning Bolts install please continue to step #27 (Fig #48) in the SWOOP Rear Fender Wiring Install Instructions.



Paul Yaffe's
Bagger
Nation™

602.840.4205
BAGGERNATION.COM